

WELCOME TO KLUDI

Kludi Technical Training CODIM - ALGERIA

Presented By: Mohamad AI Chehimi commencing 27th August 2014

KLUDI GMBH & CO. KG



• KLUDI•

© KLUDI | Page 3 | 28/08/2014 |

KLUDI *Our Expertise & Footprint*



Established in 1926, KLUDI has more than 88 years of experience in faucet manufacturing.

With 6 production facilities, KLUDI manufactures to the same German quality standards for customers around the world.

Employing approx. 1,000 staff with sales presence across >100 countries.



Produktionsstandorte

Kludi History

Tradition means obligation. KLUDI; the history of fitting


(KLUDI)

Phase 1 Foundation

- 1926 Franz Scheffer founds the company in Menden
- 1965 Klusendick is taken over

Phase 2 Expansion

- 1980 KLUDI builds a factory in Hornstein / Austria
- 1990 KLUDI takes over Armaturenfabrik Eisenberg
- 1993 KLUDI builds a factory in Diòsd, Hungary
- 1996 KLUDI builds a factory in Opole, Poland
- 1999 KLUDI Group forms KLUDI GmbH & Co. KG
- 2006 KLUDI opens a factory in China
- 2006 foundation of JV with RAK Ceramics





International Presence



© KLUDI | Page 6 | 28/08/2014 |

KLUDI Our Quality Mantra




KLUDI quality assurance policy of 1,000 watchdogs – quality right from the start – and not afterwards.

Quality managers report directly to the senior management to ensure continuous improvement.

KLUDI standards are extended to suppliers via "Quality" partner program to ensure implementation.



KLUDI *Our Quality & Sustainability*



1st in the industry to join EU Eco Audit Initiative in 1997 for environmental protection and sustainability.


Ecological practice in packaging, printing and shrink film material earns KLUDI the reputation of environmentally friendly.

Product life-cycle test of 210,000 times for cartridges equals a usage period of 10 years.



Water saving potential: 50 % (from 15 l/min to 7.5 l/min)





© KLUDI | Page 9 | 28/08/2014 |

• K L U D I •

Production

Fittings production process

- Molds are created internally
- Production of the sand core
- Melting of raw brass
- Brass casting
- Brushing
- Chrome plating
- Final Product tested, standardized and calibrated.













KLUDI *The Product Offer*



Bath



Kitchen



Shower



Health care





Sanitary ware General Classification & Types



Water Closet - WC

- Close-Coupled WC / 3 PCS 2 types
- With concealed Cistern WC / 2 PCS 2 types
- Handicapped WC

Bidet

- Floor Mounted Bidet
- Wall mounted Bidet



Wash Basin - WB

- Pedestal PWB
- ¹/₂ Pedestal Trap cover
- Counter top wash basin Built in CWB
- Under Counter WB
- Semi Recessed WB
- Surface mounted WB

Bathtub & Shower Tray

Acrylic, Enameled Steel, Caste Iron, Fiberglass, etc...

• KLUDI

- Many Shapes & Sizes
- .Free Standing Bathtubs, etc...
- .Shower Area

© KLUDI Page 12 |28/08/2014 |

Area of application

Wash Basins



Area of Application Bidet



Area of Application *Bath*



Kludi Mixers Collection

Fittings



KLUDI ADLON 31



KLUDI AMBA 36



42

J00P!

67

KLUDIAMPHORA



KLUDI BALANCE 47



57



KLUDI BOZZ 58



ESPRIT

63

KLUDI NEW WAVES 83

KLUDI OBJEKTA 92





75

KLUDI Q-BEO

KLUDI LOGO NEO



KLUDI STANDARD

104

Design Series

Smart Luxury Series

Volume Lines

Brand Partnership



2003 Global Player **JOOP!** partners with **KLUDI**



2007 ESPRIT Bathroom Concept

• KLUDI •



111

KLUDI ZENTA

114

97

Pre-installation sets 128

© KLUDI | Page 16 | 28/08/2014 |

Shower collections

150

162

171






Kitchen Sink Mixers



Flow rate classes

Max. flow rate at flow pressure of 3 bar



© KLUDI | Page 19 | 28/08/2014 |

Pictograms



Low pressure

Fitting suitable for under-counter water heaters.



Multi-connector

Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



Bayonet connection

Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



Sensor Fitting with non-contact operation.



Battery operation Electronic fitting with battery operation.



Mains operated Electronic fitting for 230 V AC connection.



Pull-out spout

Fitting with pull-out spout for extended working radius.



Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.



HotStop

Fitting with anti-scald limiter at 38 °C.



Eco Saves at least 40% water.



s-pointer

Angle of water flow can be adjusted to fit different shaped basins.



Showering hygiene Quick and easy to drain remaining water from the hand spray. No dripping.



© KLUDI | Page 20 | 28/08/2014 |

Technology Navigator

Bath- room										383	7 (38 [°])	
KLUDI ADLON										•		
KLUDI AMBA						•	•		•	٠		
KLUDI AMPHORA						•			•	•		
KLUDI A-QA								٠		٠	٠	•
KLUDI BALANCE		•	•	•	•		•		•	•		
KLUDI BINGO STAR						•						
KLUDI BOZZ	•					•	•		•	•		
ESPRIT							•		•	٠		
KLUDI FIZZ										•	•	•
JOOP!						•				٠		
KLUDI KIDÓ						•			•	•		
KLUDI LOGO NEO	•					•	•		•			
KLUDI MEDI CARE						•				•		
KLUDI MX						•			•	٠		
KLUDI NEW WAVES						•	•			•		
KLUDI OBJEKTA	•					•	•		•	٠		
KLUDI O-CEAN						•	•		•	•		
KLUDI PROVITA						•				٠		
KLUDI Q-BEO						•			•	•		
KLUDI STANDARD												
KLUDI TERCIO	•					•						
KLUDI ZENTA						•	•		•	٠		

Technology Navigator

Kitchen																					
KLUDI ADLON	•																				
KLUDI AMPHORA																				٠	
KLUDI BINGO STAR	•										•	•	•	•	•						•
KLUDI BOZZ															٠						•
KLUDI E-GO							•	•	•	•											
ESPRIT	•										•				•						
JOOP!																					
KLUDI KOMET	•	•	•	•		٠										٠	٠	•			•
KLUDI L-INE	•										•	٠	•		٠						
KLUDI LOGO NEO	•																				
KLUDI MX	•			•	•											٠		٠	•	٠	
KLUDI NEW WAVES																					
KLUDI OBJEKTA MIX NEW	•																			•	
KLUDI SCOPE	•					٠										٠					•
KLUDI STANDARD	•			•														•			
KLUDI STEEL																				٠	٠
KLUDI TERCIO	•																				
KLUDI TRENDO	•			•										٠		٠	٠	•			
KLUDI ZENTA	•																				
KLUDI ZIP																				٠	

Surface Finishes / Colors


Bath-	CHROM	CHROM/ GLAS GREEN	CHROM/GLAS TRANSPARENT	CHROM/ VARICOR ARKTIS	CHROM/ Black	Chrom/ White	PERMABRASS
room	05	H7	D1	D2	86	91	45
KLUDI ADLON	•						•
KLUDI AMBA	•						
KLUDI AMPHORA	•						
KLUDI A-QA	•						
KLUDI A-XES	•						
KLUDI BALANCE	•						
KLUDI BINGO STAR	•						
KLUDI BOZZ	•						
ESPRIT	•					•	
KLUDI FIZZ	•						
KLUDI FRESHLINE	•						
JOOP!	•	•	•	•			
KLUDI KIDÓ	•						
KLUDI LOGO NEO	•						
KLUDI MEDI CARE	•						
KLUDI MX	•						
KLUDI NEW WAVES	•						
KLUDI OBJEKTA	•						
KLUDI O-CEAN	•						
KLUDI PROVITA	•						
KLUDI Q-BEO	•						
KLUDI STANDARD	•						
KLUDI TERCIO	•						
KLUDI ZENTA	•				•	•	

Surface Finishes / Colors

Kitchen	CHROM	CHROM/ Artimo	CHROM/ Black	CHROM/ Mocca	Chrow Weiss	Chrom/ White	BRUSHED STAINLESS STEEL	stainless Steel Finish
	05	Z1	86	82	92	91	F6	96
KLUDI ADLON	•							
KLUDI AMPHORA	•							
KLUDI BINGO STAR	•							•
KLUDI BOZZ	•							
KLUDI E-GO	•							
ESPRIT	•					•		
JOOP!	٠							
KLUDI KOMET	•							
KLUDI L-INE	٠							
KLUDI LOGO NEO	•							
KLUDI MX	•			•	•			
KLUDI NEW WAVES	•							
KLUDI OBJEKTA MIX NEW	•							
KLUDI SCOPE	•							•
KLUDI STANDARD	•							
KLUDI STEEL							•	
KLUDI TERCIO	•							
KLUDI TRENDO	•							•
KLUDI ZENTA	•		•			•		•
KLUDI ZIP		•						

• KLUDI •


© KLUDI | Page 24 | 28/08/2014 |



KLUDI MX Basin mixer Ref: 331250562

• K L U D I •

Installations



© KLUDI | Page 26 | 28/08/2014 |

Flexx.Boxx Concealed Mixer Technology

flexible solutions for planners and plumbers.



Complete unit already pre-assembled – no additional mounting necessary Compatible with every concealed mixer unit Water proofed elastomer unit





Concealed Shower



326550575 = 88011 *328180575=33434* concealed shower mixer



326500575 = 88011 *326150575=33434* concealed bath and shower mixer



88011 KLUDI FLEXX.BOXX concealed mounting set



358350538 concealed thermostatic shower mixer



358300538 concealed thermostatic bath- and shower mixer





326570575 concealed bath and shower mixer protected against back flow

How Many Concealed body for showers in Kludi





all Thermostatic except Adon, & old **Objekta and works** with all concealed shower and bath mixer except Logo Neo













23






33434, can be used

with all the ranges

except Esprit & Q-BEO







38625, only for

Logo Neo and










Page 129, 130, & **131 General** Catalogue 2014


88011 works with












Innovations Since 1963



© KLUDI | Page 30 | 28/08/2014 |

Kludi, it's a story to tell, before you sell !!!!!!!!



• KLUDI •

© KLUDI | Page 31 | 28/08/2014 |

WALDORF ASTORIA IN RAS AL KHAIMAH



HILTON DOUBLE TREE HOTEL DUBAI





EMIRATES TOWER OFFICES DUBAI

DUSIT THANI HOTEL CAIRO







© KLUDI | Page 33 | 28/08/2014 |

THE WAVES OMAN

FORMULA ONE SPORTS COMPLEX ABU DHABI






AL BUSTAN CENTRE DUBAI

BAHRAIN INTERNATIONAL AIRPORT





HILTON AI AIN U.A.E

EMIRATES HILLS VILLAS DUBAI





Thank you very much!

